For women with osteoporosis after menopause at high risk for fracture





INDICATION

EVENITY® is a prescription medicine used to treat osteoporosis in women after menopause who are at high risk of fracture, or cannot use another osteoporosis medicine or other osteoporosis medicines did not work well.


IMPORTANT SAFETY INFORMATION

EVENITY® can cause serious side effects, including increased risk of having a heart attack, stroke, or death from a cardiovascular (heart or blood vessel) problem. Call your healthcare provider or get emergency help right away if you have any of these symptoms: symptoms of **heart attack**, which may include: chest pain or pressure; shortness of breath; feeling light-headed or dizzy; or symptoms of **stroke**, which may include: headache; numbness or weakness in face, arm, or legs; difficulty talking; changes in vision or loss of balance. Before you receive EVENITY®, tell your healthcare provider if you have had a heart attack or stroke, especially if it has happened in the past year.

Please see additional Important Safety Information on page 8.

Osteoporosis FAST FACTS





IMPORTANT SAFETY INFORMATION

Do not take EVENITY® if you: have low blood calcium; or are allergic to romosozumab or any ingredients in EVENITY®.

Please see additional Important Safety Information on page 8.

Want stronger bones?Talk with your doctor today about building bone with EVENITY®.



Proven RESULTS





EVENITY® is proven to reduce the risk of new spine fractures by

73%

in just 12 months.

This study followed 7,180 women with postmenopausal osteoporosis receiving EVENITY® or placebo (a treatment without medicine) for 12 months.

Women receiving EVENITY® had fewer new spine fractures (0.5%) than women receiving placebo (1.8%) at 12 months. Reductions in fractures other than the spine were not significant at 12 months.

EVENITY® increased bone mineral density at 12 months vs placebo.



BMD results do not imply fracture risk reduction.

In the same clinical study, women on EVENITY® experienced a significant increase in the bone mineral density (BMD) of their lower spine, hip, and femoral neck compared to women on placebo.

That's why now may be a good time to ask your doctor about EVENITY®.

IMPORTANT SAFETY INFORMATION

EVENITY® may cause serious side effects. Possible serious side effects include serious allergic reactions, low blood calcium, severe jaw bone problems, and unusual thigh bone fractures.

Please see additional Important Safety Information on page 8.

Is it time to start building new bone with EVENITY®?
Talk to your doctor about your bone density score.








Osteoporosis is progressive. So don't just slow down bone loss, build new bone with EVENITY®.

EVENITY[®] is the first and only osteoporosis treatment that works two ways.

BONES WITH OSTEOPOROSIS



UNTREATED

A pelvis bone sample taken at month 12 from a woman with postmenopausal osteoporosis receiving placebo.

TREATED WITH EVENITY®

A pelvis bone sample taken at month 12 from a woman with postmenopausal osteoporosis receiving EVENITY®.

For illustrative purposes only. Bone samples were taken from 2 different women in a substudy consisting of 139 women with postmenopausal osteoporosis. Images selected are from women who were close to the average in each group.

Only EVENITY® works two ways: it works with your body's natural ability to **build new bone** and, to a lesser extent, **slow down bone loss**.



Other commonly prescribed osteoporosis treatments work in one of two ways: antiresorptives slow down bone loss, while anabolics help to stimulate bone formation.

IMPORTANT SAFETY INFORMATION

The most common side effects of EVENITY® are joint pain and headaches.

Please see additional Important Safety Information on page 8.

Ready to do more than slow down bone loss?Ask your doctor if now is the time to start building new bone.

Taking EVENITY®



Unlike some osteoporosis treatments that need to be taken daily or weekly, **EVENITY®** is given once a month for 12 months.

Each EVENITY® dose consists of 2 shots given under your skin every month by your healthcare provider. You should take calcium and vitamin D as your doctor tells you to while you receive EVENITY®.

If you miss an appointment, contact your doctor as soon as possible to reschedule.



EACH EVENITY® DOSE CONSISTS OF 2 SHOTS



EVENITY® IS GIVEN MONTHLY DURING YOUR OFFICE VISIT



EVENITY® IS TAKEN FOR JUST 12 MONTHS

Start the conversation. Ask your doctor about EVENITY® today.

When talking to your doctor about osteoporosis and how to treat it, it's important to ask about building new bone instead of just slowing down bone loss.

Here are some key questions to help you start today's conversation:

- I am concerned about my bone density scan results. Can EVENITY® actually help build new bone and increase bone mass?
- I know I'm at high risk for fracture. Does bone building with EVENITY® help reduce fracture risk?
- Can I really expect results in 12 months?

After 12 months of EVENITY®, ask your doctor about

- scheduling a bone density scan to see your treatment results following EVENITY®
- a follow-up antiresorptive treatment to maintain the new bone you've built



IMPORTANT SAFETY INFORMATION

You should take calcium and vitamin D as your doctor tells you to while you receive EVENITY®.

Please see additional Important Safety Information on page 8.

Please <u>click here</u> to download your discussion guide.

EVENITY° SAFETY




Any time you start a new medicine, it's a good idea to understand the possible side effects. In the case of osteoporosis, it's also important to understand that not treating it could result in a higher risk of fracture. Talk to your doctor and together you can make an informed decision.



An EVENITY® study of over 7,000 women

Drug safety is important. EVENITY® was studied to learn about the benefits and possible side effects that come along with taking it.

One EVENITY® study evaluated over 7,000 women with postmenopausal osteoporosis who received either EVENITY® or placebo. The most common side effects were joint pain and headache. These are not all of the possible side effects of EVENITY®. Talk to your doctor to learn more about the potential serious side effects of EVENITY®. See the comparison of the most common side effects from the study reported below.



Please see additional Important Safety Information on page 8.



Paying for EVENITY®



EVENITY[®] is covered by many Medicare and commercial plans.

Individual patient out-of-pocket costs will vary.

MEDICARE

Most Medicare Part B patients have additional insurance and could pay \$0 per dose of EVENITY®.*†

- After you meet your deductible, Medicare Part B typically covers 80% of therapies you receive in your doctor's office
- You can obtain an additional insurance (e.g., Medicare Supplement Plan or Medigap, commercial, TRICARE) to pick up the additional 20%[‡]
 - Out-of-pocket costs do not include costs related to office visits or administration of EVENITY®. Additional insurance may require additional monthly premiums
 - ♦ What you pay for EVENITY® will depend on the type of Medicare plan you have

COMMERCIAL INSURANCE

Eligible commercially insured patients could pay as little as \$25 per dose with Amgen[®]'s co-pay program.

➤ Eligibility criteria and program maximums apply. Terms and conditions apply. To see full Terms and Conditions and eligibility requirements, call 1–800–761–1558 or visit EVENITYSupport.com

UNINSURED

If you are uninsured or underinsured, learn about the Amgen® Safety Net Foundation by calling 1-866-AMG-ASST (1-866-264-2778)



Please see Important Safety Information on page 8.

If you're not sure what Medicare plan you have or are looking for more information, talk to your insurance provider and visit evenity.com/paying to see more details.

^{*}This information is based on Amgen® insurance verification data from October 2020 to March 2021. The analysis included only EVENITY® prospective patients.

[†]The amount you pay may depend on coverage from Medicare Supplement Insurance (Medigap).

[‡]You must be enrolled in Medicare Part A and Part B to receive coverage through Medicare Supplement Insurance (Medigap). Medicare Supplement Insurance may require additional monthly premiums.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about EVENITY®?

EVENITY® can cause serious side effects, including increased risk of having a heart attack, stroke, or death from a cardiovascular (heart or blood vessel) problem. Call your healthcare provider or get emergency help right away if you have any of these symptoms: symptoms of **heart attack**, which may include: chest pain or pressure; shortness of breath; feeling light-headed or dizzy; or symptoms of **stroke**, which may include: headache; numbness or weakness in face, arm, or legs; difficulty talking; changes in vision or loss of balance. Before you receive EVENITY®, tell your healthcare provider if you have had a heart attack or stroke, especially if it has happened in the past year.

Do not receive EVENITY® if you: have low blood calcium; or are allergic to romosozumab or any of the ingredients in EVENITY®.

Before receiving EVENITY®, tell your healthcare provider about all your medical conditions, including if you:

- have a history of other heart or blood vessel problems
- have low blood calcium
- cannot take daily calcium and vitamin D
- have kidney problems or are on kidney dialysis
- plan to have dental surgery or teeth removed

What are the possible side effects of EVENITY®?

EVENITY® may cause serious side effects, including:

Serious allergic reactions have happened in people who receive EVENITY®. Call your healthcare provider or go to the nearest emergency room right away if you have any symptoms of a serious allergic reaction including: rash; hives; swelling of the face, lips, mouth, tongue, or throat which may cause difficulty in swallowing or breathing.

IMPORTANT SAFETY INFORMATION (CONT.)

Low calcium levels in your blood (hypocalcemia).

EVENITY® may lower the calcium levels in your blood. Your low blood calcium should be treated before you receive EVENITY®. Call your healthcare provider if you have symptoms of low blood calcium such as: spasms, twitches, or cramps in your muscles; numbness or tingling in your fingers, toes or around your mouth.

Severe jaw bone problems (osteonecrosis) may occur. Your healthcare provider should examine your mouth before you start EVENITY® and may tell you to see your dentist. Ask your healthcare provider or dentist about good mouth care.

Unusual thigh bone fractures. Symptoms of this type of fracture include new or unusual pain in your hip, groin, or thigh.


The most common side effects of EVENITY® include joint pain and headaches.

These are not all the possible side effects of EVENITY®. Call your doctor for medical advice about side effects.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1–800–FDA–1088.

Please see EVENITY® full <u>Prescribing information</u> and Medication Guide.







TALK TO YOUR DOCTOR TODAY ABOUT EVENITY®

and visit EVENITY.com to learn more.





Get support with our Bone Matters® program. Sign up at evenity.com/BM

Please see Important Safety Information on page 8.